

# CGS | CGS TLM

TE Internal #: 2176157-6

.027  $\Omega$ , Foil, Current Sensing Resistor, 5 %, 2 Termination, 2010,

Taped & Reeled, .75 W, ±100 ppm/°C, Solder, Height .023 in [.58

mm], CGS TLM

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors > Metal Chip Resistor: Current Sense



Resistor Type: Current Sensing Resistor

Number of Terminations: 2
Package Size Code: 2010

Packaging Method: Taped & Reeled
Passive Component Tolerance: 5 %

All Metal Chip Resistor: Current Sense (152)

### **Features**

## **Product Type Features**

Resistor Type	Current Sensing Resistor
Package Size Code	2010
Element Type	Foil

### **Configuration Features**

1

#### **Electrical Characteristics**

Passive Component Tolerance	5 %
Resistance Class	Up to $1k\Omega$
Resistance Value	.027 Ω
Power Rating	.75 W

### **Termination Features**

Number of Terminations	2
Surface Mount Resistor Termination Type	Solder

#### **Dimensions**

Product Height	.58 mm[.023 in]
Product Length	5 mm[.197 in]



Product Width	2.5 mm[.098 in]
Usage Conditions	
Temperature Coefficient	±100 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**






# Also in the Series | CGS TLM



# Customers Also Bought



















.027  $\Omega$ , Foil, Current Sensing Resistor, 5 %, 2 Termination, 2010, Taped & Reeled, .75 W,  $\pm 100$  ppm/°C, Solder, Height .023 in [.58 mm], CGS TLM



## **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2176157-6\_BA.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2176157-6\_BA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2176157-6\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

SMD Current Sense Metal Chip Resistor

English